

Patient: **SAMPLE  
PATIENT**

DOB:

Sex:


MRN:

**1006 Celiac & Gluten Sensitivities-Serum**

Immunologic Markers			
Biomarker	Result		Reference Range
Total IgA	83	Insufficient	85-532 mg/dL
Anti-Tissue Transglutaminase IgA (tTG IgA)	51.0	Positive	<=6.9 U/ml
Anti-Deamidated Gliadin IgA (DGP IgA)	6.4	Negative	<=6.9 U/ml
Anti-Endomysial IgA (EMA IgA)	Not Detected		Not Detected
Anti-Gliadin IgA (AGA IgA)	2.7	Negative	<=6.9 U/ml
Anti-Gliadin IgG (AGA IgG)	6.4	Negative	<=6.9 U/ml

**Interpretation**

Patient results are consistent with Possible Celiac Disease.



## Commentary

Total IgA result confirmed by repeat analysis.

Methodology: FEIA, Immunoturbidometric and IFA (when EMA IgA testing is performed)

The performance characteristics of all assays have been verified by Genova Diagnostics, Inc. Unless otherwise noted with ♦, the assay has been cleared by the U.S. Food and Drug Administration.

Commentary is provided to the practitioner for educational purposes, and should not be interpreted as diagnostic or as treatment recommendations. Diagnosis and treatment decisions are the practitioner's responsibility.

\*AGA IgG/IgA is positive in only about 50% of patients with Gluten Sensitivity. Therefore, clinical correlation is required and a trial of a Gluten Free Diet may be indicated to confirm diagnosis. Volta U, De Giorgio R. New understanding of gluten sensitivity. Nat Rev Gastroenterol Hepatol. 2012 Feb 28;9(5):295-9